



































LEGEND

EXISTING TREE TO BE PROTECTED AND RETAINED



PROPOSED TREE

100L CONTAINER INSTALL SIZE DENOTED BY: 100L

45L CONTAINER INSTALL SIZE DENOTED BY: 45L



200mm CONTAINER INSTALL SIZE DENOTED BY: 200mm PROPOSED GARDEN BED PPROX. 4 PLANTS/ METER IN 150mm POTS AUTOMATIC IRRIGATION SYSTEM





PROPOSED CONCRETE PAVING COLOUR: ABILOX 'MORNINGTON PENINSULA, FINISH: STIFF BROOM.

PROPOSED FEATURE PAVING CASTLEMAINE SLATE RANDOM STONE PAVING.



ASPHALT PAVING

PROPOSED RUBBER IMPACT ATTENUATION SURFACE

PROPOSED SANDPIT

PROPOSED PEBBLE MULCH

BRICK SANDPIT WALL RECYCLED RED BRICKS INSITU CONCRETE CAPPING

____ CONCRETE EDGE

SE STEEL EDGE WEATHERED STEEL FINISH

FEATURE FENCE

ROCK BOULDER FLAT TOPPED PINK MUDSTONE

STONE STEPPERS
SAWN PINK MUDSTONE STEPPERS NATURAL TREE LOGS

LOG

VERTICAL LOG STEPPERS
HARDWOOD LOG ROUNDS VARYING HEIGHTS,
100mm MIN. TO 400mm MAX. ABOVE FSL. VEHICLE EXCLUSION BOLLARD 150mm DIAMETER ACQ TREATED PINE WITH DOME TOP AT VARYING HEIGHTS.

PROPOSED POLE LIGHTS

PROPOSED DRAINAGE PITS

PROPOSED LEVELS

EXISTING CONTOURS
0.25m INTERVALS

NOTES

Subsurface grated pit with geotextile fabric membrane below sandpit.

Subsurface grated pit with geotextile fabric membrane below pebble mulch at low point of ephemeral billabong.

Provide additional tree planting to supplement the existing woodland buffer planting along the souther park boundary. (Provisional).



Landscape Architecture & Design

Level 1, Suite 2, 278 Church Street, Richmond VIC 3121 T. 9381 4366







